PROCEEDINGS OF THE PREBID MEETING HELD ON 10.06.2025 AT 3.00 PM IN OFFICE OF CHIEF ENGINEER & CHIEF GENERAL MANAGER (TECH) BSWML FOR THE BIDS INVITED THROUGH NOTIFICATION NO: DGM-2/BSWML/TEND/08/2025-26 DATED: 30.05.2025.

OFFICER'S PRESENT:-

1	Technical Assistant to CE & CGM (Tech) & AGM		Smt. Chitra J
2	Assistant Manager		Sri Chidananda N.S.

AGENCIES PRESENT:

1	Representative From M/s. OM Aparajithe Solid Waste Management LLP.
2	Representative From M/s. MSGP Infra Pvt Ltd.
3	Representative From M/s. Anvaya Eco Tech.
4	Representative From M/s. Mukka Proteins Limited.
5	Representative From M/s. Eco Screen Management Pvt. Ltd.
6	Representative From M/s. MS Jathin Infra Pvt. Ltd.

****

Assistant General Manager-2, BSWML welcomed all the officials and the representatives of the agencies/ firms for below works for which pre- Bid meeting was called. Representatives of various companies as above were present in the said pre bid meeting.

The queries/clarifications sought by the agencies with regard to bids invited, were received in writing/ e-mail & through KPP portal. The clarifications are issued according to the tenders invited as under:-

Subject: "Operation and Maintenance of 150 TPD Wet Waste Processing Plant located at Subbarayanapalya"

Sl. No	Tender Doc Ref	Query Raised	Clarifications/Amendments issued
	I) M/s. OM Aparajithe Solid Waste Management LLP and Online queries		
1	Section 5 Terms of Reference last line	Provide us an option to use leachate inside the plant without causing any nuisance to the public the plant	Refer Addendum-1
2	JV Share note mentioned	JV Share can be done as per the bidders commitment	Tender Condition Prevails.
3	Data Sheet 7.2	Commencement of the work should be 30 days from the date of issue of work order	Refer Addendum-1
4	Deduction penalties Sl. No. 2	Some parts of the machineries will not be available in the city we should procure from outside of the state therefore we should need one week time for repair	Tender Condition Prevails.
5	Special condition of contract point no. 6.4	This is not a construction work nor supplying of materials therefore we request you to kindly pay the bills 80:20 ratio 80% of the payment within 7 days from the date of submission of bill and 20% within 15 days from the date of submission of bill	Tender Condition Prevails.
6	Technical Qualification of Financial Turnover of the bidder for the year 2023-24	Kindly consider the technical qualification of Financial Turn Over of the bidder for the year 2024-25	Refer Addendum-1
7	Gratuity and Bonus act	This tender is for 2 years therefore we will follow the all labor rules and act whichever is applicable	Tender Condition Prevails.

	II) M/s. Anvaya Eco Tech		
8		Will BSWML pay the contractor based on the amount of waste processed, as agreed in the contract? If more than 150 TPD is supplied, will the contractor be paid extra for the additional work? And if less than 150 TPD is supplied, will the contractor still be paid for 150 TPD, since they need to keep staff and equipment ready for that amount?	Refer Addendum-1
9		With current processing at only 72 MT/day versus 150 MT/day capacity, can BSWML guarantee minimum daily waste inputs and provide 12-month historical data including seasonal variations?	Refer Addendum-1
10		Given the 8-year operational gap (2014-2022), can BSWML provide detailed condition reports for all 26 machinery items and 13 vehicle? What immediate repair costs should bidders budget for during mobilization?	The bidders are requested to visit the plant and know about the conditions of the vehicles and machineries at the processing plants. The vehicles and Machineries will be handed over to the successful bidder in working condition.
11		Could you clarify if the contractor is permitted to dispose of or sell the compost at their discretion if it is not collection b BSWML within 30 days?	Tender Condition Prevails.
12		Are there any ongoing litigations or specific local issues that we should be aware of?	None
13		Will the cost of electricity be reimbursed to the contractor?	Section 5- Terms of Reference -Detailed Scope of work: xi-BESCOM bill payment.

14		Is the incoming waste completely segregated before the delivery to the facility?	Segregated waste shall be delivered to the facility.
	3. M/s MSGP Infra Pvt. Ltd.		
15	Page No. 8	2) The bidder / JV should collectively have satisfactorily completed at least one work of similar nature in MSWM of value not less than **Rs. 242.06 lakhs** in any one year during last five years or (50% of the estimated cost for one year). or The bidder / JV should collectively have supplied manpower for a value not less than Rs.242.06 lakhs for O&M of an MSW processing plant in any one year during the last five years or (50% of the estimated cost for one year). Kindly clarify the term **'similar nature in MSWM.'** Does it include all projects related to Municipal Solid Waste Management, such as Collection and Transportation, Sanitary Landfilling, Biomining, etc.? Kindly clarify whether, in the case of a Joint Venture, each partner must individually possess experience in similar projects — for instance, one partner having experience in Collection & Transportation and the other in Processing & Disposal — with each having executed projects valued at Rs.242.06 lakhs.	Refer Addendum-1
16	Page No. 10	3. PREPARATION OF PROPOSAL 3.3. (vii) To qualify for award of this contract, the bidder in his name should have in the last five years, i.e., 2020-21 to 2024-25	Refer Addendum-1

		a) Qualification Criteria 3) The bidder / JV should collectively have successfully completed processing of Wet Municipal solid waste of 43800 MT quantity in any one year during last five years (80% of the estimated waste quantity). or The bidder / JV should collectively have supplied a minimum manpower of 42 numbers for O&M of a Wet MSW processing plant of minimum 150TPD capacity/ producing compost from MSW of capacity of (80% of estimated manpower requirement). There appears to be a contradiction in the eligibility criteria—one clause mentions experience in any aspect of MSWM, while another specifically requires experience in Wet Municipal Solid Waste Management. We request that this be revised to **'Solid Waste Management Processing experience**,' as proper waste segregation practices have only recently been implemented in Karnataka following the launch of SBM Phase 1.	
17	Page No. 31	SECTION 5. TERMS OF REFERENCE 3. AN OUTLINE OF THE TASKS TO BE CARRIED OUT: The task assigned to the selected bidder is to receive the wet waste at plant, process it and dispose the rejects as stated in the procedures below. Additionally, we request clarification regarding the responsibility for the disposal of rejects generated from the processing activities. Kindly specify who	Refer Addendum-1

		is accountable for their disposal, and outline the approved procedure for the same. Please also confirm the process and responsibility for the disposal of RDF (Refuse Derived Fuel) and inerts generated during operations. Specifically, is it permissible to dispose of inerts at the Mittiganahalli site and RDF at an authorized Waste-to-Energy plant as part of the disposal activity?	
18	Page No. 31	3. It is to be noted that upto 125% of the input quantity incoming as prescribed quantity shall be processed by bidder as per accepted rate of proposal. If the inward quantity is less than the prescribed quantity of plant, the same shall be processed & payment shall be done to selected bidder as per the actual quantity received at plant. The payment of processing shall be made as per the payment schedule. BSWML should ensure that, since the tender is based on a cost-per-ton model, payments are made accordingly—irrespective of any increase or decrease in the actual quantity supplied. The bidder is required to deploy the necessary manpower, vehicles, equipment, and other resources to process 150 TPD. Therefore, if the quantity supplied exceeds 150 TPD, payment should be made for the additional quantity, as it involves proportionate additional effort. Conversely, if the quantity supplied falls below the stipulated 150 TPD, it remains	Refer Addendum-1

		BSWML's responsibility to ensure the supply of the committed quantity. However, since the plant is designed and operated for 150 TPD, the bidder should still be compensated for a minimum of 150 TPD, regardless of any lesser quantity being supplied. This approach has been followed in tenders issued by the Directorate of Municipal Administration, Government of Karnataka, for Operation and Maintenance projects, and we request that the same be adopted here to ensure consistency and accountability across MSWM projects	
19	Page No. 31	The leachate generated in the plant shall be transported/supplied through existing drain network to the collection sump & same shall be transported to designated site using vehicles as specified. Kindly confirm whether the disposal of leachate falls under the bidder's scope and if the associated transportation charges are to be borne by the bidder	Refer Addendum-1
20	Page No. 31	The compost prepared as per approved technology shall be handed over to the Client. Arrangement for stacking as per SOP of finished products shall be made by the bidder until the Client takes the compost out of the processing plant. The compost produced will be handed over to the client. Once it is produced and stacked, it shall be the responsibility of BSWML to arrange for its transportation and loading to the designated sites. If the compost is not collected within 30 days, the bidder should be permitted to dispose of it at	Tender condition Prevails.

		their discretion	
21	Page No. 33	**Detailed Scope of Work:** ii. Operation & Maintenance of Existing Vehicles at Subbarayanapalya MSW Processing Plant: Kindly clarify that the cost incurred for repair and servicing activities is not included in the overall project cost. As the expenses for such repairs are unpredictable, the bidder can undertake them only if BSWML provides assurance of reimbursement.	Tender condition Prevails.
22	Page No. 35	v. Operation & Maintenance of Existing Machinery at Subbarayanapalya MSW Processing Plant: The tender document indicates that comprehensive repair and maintenance is required for nearly all equipment within the plant. This will significantly escalate the costs to indeterminate levels, which cannot be accurately assessed at this pre-tendering stage. Therefore, we request that such repair and maintenance expenses be reimbursed to the Bidder upon submission of valid invoices and supporting documentation. Kindly clarify whether the responsibility for repair and replacement costs of the specified equipment lies with the Bidder or BSWML	Tender condition Prevails.
23	Page No. 38	vi. Operation & Maintenance of Fire Fighting System at Subbarayanapalya MSW Processing Plant: Kindly clarify whether the responsibility for repair and replacement costs of the specified equipment lies with the Bidder or BSWML. As the repair expenses are variable and	Tender condition Prevails.

		not feasible to estimate within the project cost, we request that the Bidder be reimbursed upon submission of the necessary supporting invoices and documentation.	
24	Page No. 41	xii. BESCOM bill payment The energy consumed for operation of machinery at processing plant shall be agency, the same shall be reimbursed by the client as per actuals. Incase of power outage, bidder must operate the plant by using provision of generator or other alternatives. Kindly confirm that the electricity charges will be reimbursed by BSWML on a monthly basis.	Reply at sl no. 13 holds good.

All the bidders are requested to participate in the bidding process and further the bidders are instructed to note the above clarifications/amendments issued and to kindly note that the **last date of submission is up to 30-06-2025 at 16:00 hours.**

20/6/25

Chief Engineer &
Chief General Manager (Tech),
BSWML

Copy Submitted to:

1. Deputy General Manager -2 BSWML for information and necessary action.
2. Assistant General Manager, BSWML for information and necessary action.
3. Office Copy.